

Adding Quality of Service







Objectives

- At the end of this session you should have a good understanding of:
 - Security
 - Reliability
 - Transactions
 - Service Level Agreements
 in a Service Oriented Architecture







Contents

- WS Security, SecureConversation, Trust
- WS Reliable Messaging
- WS Atomic Transactions





"For over 17 years, ISS departments into agile, high quality businessaligned solutions on time and on budget... meeting or exceeding customer

Security









Securing an SOA

- What challenges does securing an SOA have?
- How do you secure XML?
- How do you manage security across an SOA?







SOA security challenges

- A single security model may not be in place across all parties:
 - No single-sign on
 - No federated identity scheme
- There may be regulatory issues with sharing data across organizations
- The overhead of security may be much higher in a distributed environment than in a stovepipe:
 - Encryption, Signature checking, XML validation,
 Authentication all have overhead







Security issues and approaches

- Privacy
 - XML encryption
- Integrity
 - XML Signature
- Authentication
 - User/Pass, Certificates, Tokens
- XML Denial of Service
 - XML Firewalls
- Validity
 - Schema validators







Web Services Security

- WSS 1.1, an OASIS standard
 - Provides the key message security
 - Encryption
 - confidentiality
 - Digital Signature
 - integrity
 - Authentication
 - identity







WSS example







Performance

- WS-Security has a performance overhead:
 - XML Canonicalization (not full)
 - Public key encryption vs private key
- The security is done per message
 - No session







WS-SecureConversation

- Sets up a security session between two parties
 - Uses Public Key to agree a private key
 - Once established the session uses private key
 - Very similar model to SSL
 - Under standardisation







Security tokens

- Profiles
 - Binary (any)
 - Username/Password
 - SAML (Security Assertion Markup)
 - X.509 certificate
 - Kerberos Token
 - Rights Expression Language Token








Plain Ole SSL

- Many systems use SOAP over SSL/TLS
- High performance
- Works fine for single-hop
- Tried, trusted, understood













Advanced security

- How do you get a token?
- Typically in an enterprise there is an token infrastructure such as kerberos
- WS-Trust provides a model for getting and passing tokens using Web Services
- Being standardized by OASIS
- Important for Federated Security and complex networks






WS-Trust model

"For over 17 years, ISS has been assisting clients transform their IT departments into agile, responsive organizations that successfully deliver high quality businessaligned solutions on time and on budget... meeting or exceeding customer expectations."











Further security issues

- Services need to be designed with security in mind
 - The architecture and approach are powerful
 - Correspondingly need care
- Composing security and other aspects can be difficult
 - For example:
 - Who is allowed to ack received messages?
 - Who is allowed to commit a transaction
 - Does the same security session remain in place for the duration of a sequence?





"For over 17 years, ISS has been assisting clients transform their IT departments into agile, responsive organizations that successfully deliver high quality businessaligned solutions on time and on budget... meeting or exceeding customer expectations."



Reliable delivery









Reliability

- Request Response gives some reliability
 - You know when it worked
 - But when it fails, was it the request or the response that was lost
- One approach is "idempotence"
 - ["Same effect if done n times, n>0"]
 - Keep repeating until I get a response
 - Each message must be replayable
 - Often requires a change to business logic
 - Not good for asynchrony because you cannot "fire and forget"
- Another approach is SOAP/JMS
 - Can be complex







WS ReliableMessaging Aims

- To help ensure that messages are delivered to their destination
 - Exactly Once In Order is the most common requirement
- "Composable" with other specifications and existing systems







The core model

- CreateSequence and CreateSequenceResponse
- Messages allocated to the sequence
- Acknowledgement
- Resend of unacknowledged messages
- TerminateSequence and TerminateSequenceResponse






"For over 17 years, ISS has been assisting clients transform their IT

"For over 17 years, ISS has been assisting clients transform their IT departments into agile, responsive organizations that successfully deliver high quality businessaligned solutions on time and on budget... meeting or exceeding customer expectations."



Simple example









Issues with WSRM

- WSRM is just a wire protocol
- You need to ensure that your implementation offers persistence
- Overhead for short sequences
 - CS/CSR, TS/TSR





"For over 17 years, ISS departments into agile, high quality businessaligned solutions on time and on budget... meeting or exceeding customer

Transactions









WS Transactions

Atomic Transactions

Business Activity

Co-ordination







WS Transactions


- WS Co-ordination
 - Manages the overall interaction between parties
 - A voting protocol
- WS Atomic Transactions
 - Short-lived, ACID
- WS Business Activity
 - Longer running business transactions





"For over 17 years, ISS high quality businessaligned solutions on time or exceeding customer expectations."

WS Atomic Transactions



How well does this fit into an SOA?







Atomic Transactions

- Each row (or other resource) is locked until the transaction completes
 - Some databases lock a record which may contain more than one row
- The lock depends on the other parties involved
- Do you really want someone outside your organization holding locks on your database?
- Typically 2PC is used in very controlled circumstances:
 - E.g. between a queue and a database







Business Activity

- Based on a compensation model
- All activities proceed as normal
 - Within the scope of a long-running transaction
- If a fault is detected that requires the transaction to fail
 - Each party compensates for the work done







Issues with Business Activity

- Firstly, this is still early days for this spec and approach
- Secondly, each service has to offer the compensating operations
 - Requires planning
 - Needs to be built into the business analysis and design







Summary

- The ability to support:
 - Reliability
 - Security
 - Transactions

Is key to an Enterprise quality SOA infrastructure

But understanding the issues is also vital







Resources

OASIS

- WS-RX
 - http://www.oasisopen.org/committees/tc_home.php?wg_abbrev=ws-rx
- WS-TX
 - http://www.oasisopen.org/committees/tc_home.php?wg_abbrev=ws-tx
- WS-SX
 - http://www.oasisopen.org/committees/tc_home.php?wg_abbrev=ws-sx



